

Hyperformance Products, Inc.

15131 Triton

Unit 122

Huntington Beach, CA 92649

Hyperformance
Products, Inc.

Hyperformance Products, Inc.

Products Catalog



Products for Competiton & Sport

- R/C Boats, Motors, & Running Hardware
- Apparel, Services, & Accessories

2018 Edition

To Order Call: (714) 893 0030

General Operations Overview

Business is conducted in a 5200 sq. ft. industrial building in Huntington Beach, CA. This facility includes office space and manufacturing and assembly area.

The business operates primarily as manufacture, developing and producing proprietary items for resale and final consumer sale. As a portion of business operations, Hyperformance Products, Inc. is a distributor of fasteners. The fastener line includes stainless and alloy screws, bolts, nuts, and washers in both standard thread and metric thread. Sizes range from 0-80 to 1/2", and 1.5mm to 10mm.

The manufacturing operations is primarily the turning and milling of metals. Milling, turning, boring, sawing, threading, and finishing are many of the other operations performed. With the addition of a CNC Machining Center, high-volume production of precision parts is now a reality. Any prints and/or sample parts can be used to reproduce or fabricate items.

Business manufacturing equipment includes: one 14" band saw; one 12" drill-press; one combination 4" disc/6" belt sander; one 10" table-top screw machine; one 2-ton dake press; one 18" x 24" granite surface plate; one 20" linear height gauge with dial indicator; one set (1/16" to 1" in 1/16" increments) R-8 milling collet set; one 9" x 42" Bridgeport Vertical Milling machine (fully tooled); one 10" x 40" Engine Lathe (fully tooled); One 8 station CNC Turret Lathe; one 1" through-hole, 12" swing CNC Lathe (tooled); one Crusader II-equipped, three axis CNC Knee milling machine; Haas VF-O, 20"x16"x20", 20 tool, Machining Center, Haas VF2 30"x16"x20", 20 tool Machining Center; assorted hand tools and cutters; three sixty-drawer parts bins; three sets of vertical racking for inventory storage; one DIGI counting scale (Model DC-80).

Hyperformance Products, Inc. is currently on the Internet with both e-mail and website addresses. Hyperformance Products, Inc. can be e-mailed at, sales@hyperprod.com, and found on the web at www.hyperprod.com. The website is continuously updated to reflect current inventories and introduces new products and services.

Business Objective

Hyperformance Products, Inc. is always looking to produce parts of any size or design. The intent of the business is to develop and market it's own line of products geared toward racing and recreational vehicles, with primary emphasis in the Radio-Controlled Model Boat market. As secondary, the operations are intended to provide machining capabilities for precision parts production and general machining operations. Our capabilities allow us to produce one part to full production runs. From prototype to production, Hyperformance Products, Inc. will provide the machining resource to fulfill any type of order.

Hyperformance Products, Inc.

Order Form

Item #	Description	Qty	Price	Subtotal

Order total:

--

9.25% Tax (CA Only):

--

Shipping (Add 10%)

--

Total:

--

Name:				
Address:				
Phone:				
Method of Payment:				
<input type="checkbox"/>	Check		<input type="checkbox"/>	MasterCard
<input type="checkbox"/>	C.O.D.	(COD Add \$8.50)	<input type="checkbox"/>	Money Order
<input type="checkbox"/>	Visa			

Credit Card #:
Exp. Date:
Signature

Hyperformance Products, Inc.

15131 triton, Unit 122

Huntington Beach, CA 92649

e-mail: sales@hyperprod.com website: www.hyperformanceproducts.com

To Order Call: (714) 893 0030

Competition Running Hardware

Electric Running Hardware - *Mono*

Electric Hardware designed for high-performance Mono applications. Complete set comes with Rudder Bracket, Rudder Post, Rudder (Water-Pickup or Non-Water Pickup), Strut and Strut Bracket, all fasteners, and Brass essentials. Strut Brackets also available in long version (also shown). This hardware was designed to fit the Hyperformance Square Driveline System.



Order #: EH2M

Electric Running Hardware - *Hydro*


Electric Hardware designed for high-performance Hydro applications. Complete set comes with Rudder Bracket, Rudder Post, Rudder (Water-Pickup or Non-Water Pickup), Strut and Strut Bracket, all fasteners, and Brass essentials. Strut Brackets also available in long version (also shown). This hardware was designed to fit the Hyperformance Square Driveline System.



Order #: EH2H

Nitro & Gas Running Hardware - *Mono*

High quality, CAD-Designed & CNC Machined by Hyperformance Products, Inc., our hardware is not "run-of-the-mill"! Through years of applications, this hardware is proven to perform. One-piece strut Bracket provides the "base" for mounting the Strut and the Rudder Bracket. All pieces are completely adjustable, *but solid*, when assembled. *Excellent for surface-drive applications.* (Trim Tabs not included. Hardware may differ from the photo shown.)



Order #: 35MH (3.5), 75MH (7.5), 13MH (11-13-Gas)

Nitro & Gas Running Hardware - *Hydro*

The same High quality, CAD-Designed & CNC Machined hardware as the Mono hardware above, except designed for Hydro applications! One-piece strut Bracket (two-piece also available –specify when ordering) provides the "base" for mounting the Strut and the Rudder Bracket. All pieces are completely adjustable, *but solid*, when assembled. (Hardware may differ from the photo shown.)



Order #: 35HH (3.5), 75HH (7.5), 13HH (11-13-Gas)

Hyperformance Products, Inc.

Alloy, Stainless, & Aluminum Fasteners

Alloy & Stainless Socket Head Cap Screw

Black Alloy & Stainless Steel Socket Head Cap Screws in sizes from 4-40 through 1/4-28. Lengths range from 1/4" to 2.5" (Depending on type).



Price: \$.60 - \$2.75
Order #: BSH(Type/Length)
Example: BSH44012
4-40 x 1/2" Screw

Alloy & Stainless Button Head Cap Screw

Black Alloy & Stainless Steel Button Head Cap Screws in sizes from 4-40 through 1/4-28. Lengths range from 1/4" to 2.5" (Depending on type).



Price: \$.60 - \$1.65
Order #: BBH(Type/Length)

Alloy & Stainless Flat Head Cap Screw

Black Alloy Stainless Steel Flat Head Cap Screws in sizes from 4-40 through 1/4-28. Lengths range from 1/4" to 2.5" (Depending on type).



Price: \$.60 - \$3.50
Order #: BFH(Type/Length)

Aluminum Socket Head Cap Screws

Aluminum Nylon Insert Locknuts

Aluminum Socket Head Cap Screws & Aluminum Nylon Insert Locknuts in sizes from 4-40 through 10-32. Lengths range from 1/4" to 1".

Price: \$.60 - \$3.50
Order #: BFH(Type/Length)

Outboard Hardware



3.5 Bullet Drive™
Item #: 35OBD

3.5, 7.5, & 11 Bullet Drives™ are a one-piece casting finished by CNC-Machining. Each has a Brass tube encased into the casting providing lubrication, cooling and a smooth running lower unit. Consists of lower Unit & motor bolts only.



7.5 Bullet Drive™
Item #: 75OBD & 11OBD

Bullet Drive™
Electric conversions. Call or write for pricing and conversion information.



Outboard Flex Cables
Item #'s:
DC1563S2 (3.5)
DC1875S2 (7.5/11)



3.5, 7.5, & 11 Outboard Motor Mounts
Item #'s: 35OBM; 75OBM; 11OBM



Outboard Steering Arms
Item #'s:
ASA35 (3.5)
ASA75 (7.5/11)



Outboard Prop Shaft Assemblies
Item #'s:
PSA35 (3.5)
PSA75 (7.5/11)



Inboard Hardware

Inboard Flex Cables
For Square drive
Applications
Item #'s:

DC12512	125" X 12"
DC18712	187" X 12"
DC18718	187" X 18"
DC18724	187" X 24"
DC25012	250" X 12"
DC25018	250" X 18"
DC25024	250" X 24"

Degree-It™ Model Motor Timing System
Item #:
DEGREE1



Hy-Performance Exhaust Couplers
Item #'s:
SC58 & SC34
SCR58 & SCR34
VC58 & VC34



Aluminum Boom Collars



Propeller Stub Shafts
For Nitro & Gas
Item #'s:
SS1874
SS1875
SS2504
SS2505



For Electric Application

Miscellaneous Fittings, Outlets, Turn Fins, Etc.



Brass & Stainless Cable Ferrules
Item #'s:
BF187187
BF250187
BF250250
SS187187
SS250187
SS250250



To Order Call: (714) 893 0030

Hyper-Hulls™ Competition Boats



Gas Sport Hydro

Designed and built for the rigorous competition of Gasoline Hydroplane Racing! Install a B.H. Hanson Zenoah or Quickdraw G23 motor (or larger if you are courageous) and hang on! Vinylester/Glass construction, White-Primered in the mold, with pre-installed 5" motor rails. Simple to complete from the included assembly instructions.

Order #: SXG48



ZX Outrigger Performance (21, 45, 67/90)

Hyperformance Products, Inc. addition to the Hyper-Hull™ line is the ZX™ Outrigger Hydro. Designed and built of rugged materials for lasting, competitive racing. In four-point style, the ZX™ line is equipped with adjustable front sponsors and removable ride pad – like no other on the market today!

A proven competitor and winner! Turn fin is included. Additional running hardware required.

Order #:

ZX21 (3.5) (Not Available)
ZX45 (7.5)
ZX67 (67/90)



Hyperformance Products, Inc.

12th & 16th Scale Hydros

Vinylester/Glass construction, White-Primered in the mold, makes for quick and simple assembly with the included assembly instructions. Shovelnose hydros and "Picklefork" designs to replicate your favorite "Unlimited" hydros. Install an electric motor or add our .18 pullstart motor to the 12th Scale Hydro for a speed "RUSH"! 16th Scale 24" in length; 12th Scale 27" in length.

Order #:

12th Scale Shovelnose:

SX12S

12th Scale Picklefork:

SX12P



27" Bruzer Mono With .18 Pullstart



Speed & Performance in Small Packages!

These tiny hulls are designed for nitro competition. As with our other hulls, these little beauties are Vinylester/Glass construction, Gel-Coated in the mold. Install an electric motor or add our Hyperpro™ pullstart motor to the 27" hull for a real performer! *The 27" hull is also available in a Ready-To-Run design – ready to run with a pull-start .18!*

Order #: MX27 (with Pull-Start)
MX35, MX75, MX13

Tunnel Hull Design The Hyper Way!

The "TX" Tunnel Hulls are designed from intense testing and racing. Modeled from full size hulls, these tunnel hull boats are impeccable performers and race winners. Vinylester/Glass construction, White-primered in the mold makes for strong and easy to complete models. Add a Hyper/Rossi outboard motor and race like the pros! TX21 is 29 inches. TX45/67 is 34"

Order #: TX21:

TX21

TX45/67:

TX45



"Sport" Class Excellence!

Expertly crafted and superbly designed, these Sport hulls perform flawlessly. In their sleek design, these Sport hulls have the appearance of "real" hulls, and their performance is like those of Outrigger Hydros. Vinylester/Glass construction, White -Primered in the mold makes for strong and easy to complete models.

HyperSport 21 is 33", with 16" Beam.

HyperSport 45 is 37", with 18" beam.

Order #:

HyperSport 21:

SX21

HyperSport 45:

SX45

45 Drag Hydro

SXD45



To Order Call: (714) 893 0030

Rossi Inboard Nitro Motors

Piranha
.21ci (3.5cc)



Gold Head
.21ci (3.5cc)



Gold Head
.45ci (7.5cc)



3.5cc Muffled Pipe



Item#: ROSSI02149

7.5cc Muffled Pipe



Black Head
.65ci (10.85cc)



Item#: ROSSI06549

45, 65, & 90 Header



Item#: ROSSI16529
& ROSSI19029

Black Head
.90ci (15cc)



15cc Muffled Pipe



Item#: ROSSI09049

Motor	Item#	BHP	RPM
3.5 Piranha	ROSSI129R21	2.9	42,000
3.5 Gold Head	ROSSI137R21	2.2	32,000
3.5 O/B	ROSSI161R21	2.2	36,000
7.5 Gold Head	ROSSI 131R45	2.65	29,000
7.5 O/B	ROSSI 132R45	2.4	27,000
10.85 Black Head	ROSSI 57R65	4.1	24,500
15 Black Head	ROSSI 66R90	5.8	23,000

Hyperformance Products, Inc.

Hyperformance Complete 3.5 & 7.5 Outboard Motors



Hyper 3.5 & 7.5 Outboard

Complete 3.5cc & 7.5cc Outboard Motors ready to bolt on to your model. Motor is supplied with Powerhead, Header, Pipe, Coupler, Spring, Lower Assembly, Drive Cable, Prop Shaft Assembly, and adjustable Motor Mount & cavitation plate with water pickup. The right step into the 21st Century needs to be with the Hyper Outboard.

Order #: HPI35 (3.5 Outboard)
HPI75 (7.5 Outboard)

Rossi Outboard Powerheads, Headers, & Pipes

3.5cc



3.5cc Header, Pipe Spring & Coupler



7.5cc Header

7.5cc Pipe



7.5cc

The competitive spirit demands a competitive product. Rossi Outboard motors and accessories have been developed from special alloys to produce just what you need for Outboard competition. Available in both 3.5cc and 7.5cc. Complete tuned exhaust systems complement the Rossi product line.

Order #'s: **3.5:** ROSSI130R21 (Powerhead); ROSSI121R12 (Header); ROSSI02164 (Pipe); 21G (Coupler); 21M (Spring). **7.5:** ROSSI132R45 (Powerhead); ROSSI14529 (Header); ROSSIxxxx (Pipe); 60G (Coupler); 60M (Spring).

New Products For 2009!

Hyper-Tach 50k Audio Tachometer

Measure engine RPM from a distance
without contact or optical sensors!



- Useable range from 3,000 to 50,000 rpm
 - Works with nitro, gas, and electric motors
 - Use on cars, boats, planes, & helicopters
 - Self-contained, uses 9-volt battery
 - Accurate to within 1,000rpm
 - Trigger control with LED display
 - Readings in excess of 100 yards
- Part # : HT50K

BRONZE & STAINLESS PROPS

Prop	Diam.	Pitch
215	1.60"	2.5"
220	1.72"	2.6"
225	1.84"	2.8"
230	1.90"	3.0"
235	2.00"	3.2"
240	2.12"	3.3"
245	2.25"	3.5"
250	2.30"	3.6"
255	2.40"	3.8"
260	2.52"	3.9"
265	2.61"	4.0"
270	2.74"	4.2"
275	2.95"	4.3"
280	3.10"	4.5"

Specify "B" Bronze or "S" Stainless Steel



Drag Boat Accessories

V-Drive Gearbox

Unlike any other product on the market!

Hyperformance Products, Inc. is the first to manufacture a working "V-Drive" gearbox just like the real Drag Boats!

Stainless Steel gears are supported by four ball bearings. Precision CNC-machined to perfection.

Available in 4" and 5" mounts for all sizes of hulls. Install in our Nitro or Gas Hydros or Flatbottoms for authentic and scale appearance



4" M"V-Drive" Part # : VD4
5" "V-Drive" Part # : VD5
Gear set ratios are available.
Please call.



Spun Aluminum Fuel Tanks

CNC-turned fuel tanks resemble real aluminum Drag Boat and "Hot Rod" fuel tanks. Machined from 6061-T6 aluminum. End caps screw into place sealed by "O"-Rings. All fittings & mounting components included.

4 oz. Tank Part # : MT4

1.5"dia x 4.5"

12 oz. Tank Part # : MT12

2.375" x 5.875"



To Order Call: (714) 893 0030

SXD48 Drag Hydro



Hand-laid fiberglass construction in White, Yellow, or Red Gel-Coat finish. Completely removable front and rear canopies resemble full-size drag hydros.

Length: 48"

Beam: 23"

Stringer Spacing: 5"

Approx. Dry Hull Weight: 4.5 lbs

Motor Sizes: Will accept 23cc and larger gasoline engines.

SXSH45 Drag/Ski Hydro



Open cockpit "old-style" drag/ski hydro designed like the original drag hydros.

Install a "V-Drive" and Spun Aluminum fuel tank for an authentic-looking drag boat.

Hand-laid fiberglass in white gel-coat only.

Length: 38"

Beam: 18"

Stringer Spacing: 4" (5" available on special order)

Approx. Dry Hull Weight: 3 lbs

Motor Sizes: Will accept 7.5cc and larger nitro engines.

Hyperformance Products, Inc.

Hyper-GearTM

***Hyperformance Products, Inc. Apparel
for competition and sport***

T-shirts, Caps, & Aprons emblazoned with the Hyperformance Products, Inc. Piston and logo.

T-shirts in sizes M thru XXL

Caps are one-size-fits-all.



MX54 Offshore

Hand-laid fiberglass construction in white primer finish. Completely removable rear canopy resembles full-size offshore hulls. Optional scoops available.

Length: 54" **Beam:** 14" **Stringer Spacing:** 5"

Deadrise: 24 Degrees **Approx. Dry Hull Weight:** 4.5 lbs

Motor Sizes: Will accept 23cc and larger gasoline engines.

